

Rec'd PCT/PTO 15 NOV 2004







Fig 1

1229749





Fig 2






Fig. IX

Figure I

1234891







Fig 3





a







Fig 4


Fig 5




a)




b)




c)




d)




e)




f)



g)



h)



i)

Fig 6





Fig 6










Fig 7










Fig 8













Fig 9


a)




b)



c)



d)



e)








Fig 10

Fig 11

I 6.1



1294891

8-7




Fig. 12.1




Fig 12.1









Fig 12.2

fig 13














Fig 14



c)



d)



e)



fig 15

10/514403






Fig 16







Fig 17







Fig 18.1






Fig 18.2





Fig. 19






fig 20.1




fig 20.2






Fig 21







Fig 23.1




Fig. 23.2




Fig 24.1




Fig 24.2




Fig 25.1





Fig 25.2




Fig 25.3









Fig 26










Fig 28.2





Fig 29





Fig 30.1






Fig 30.2





Fig 31.1







Fig 31.2

Fig 31.2

Fig. 32




Fig. 33




Fig. 34




Fig 35.1

10/514403













fig 35









Fig 35.2

fig 36.1




Fig 36.2







Fig 37





fig 38







Fig 39





fig 40








Fig 41




Fig 42







Fig 43

Fig 44








Fig. 45







Fig. 46





Fig. 47





Fig 48.1







Fig 48.3




Fig. 48.4







Fig. 49



909

910



909

910




Fig. 50.2





Fig 50.3









Fig 51.1


Fig. 51.2




a)



b)



c)



d)




Fig 52.







Fig 53




Fig. 54

a)





Fig. 55








Fig. 56

Fig 57











Fig 58

Fig 59









a)

Fig. 60.2




103


by



a





504




508


fig 61

*a**b*

514




515




516


Fig 62.11



a)




b)




c)

Fig 63.1



Cylindrical
Rotor
Semi-
transmittable



Cylindrical Rotor
Retractable




Fig 63.2

Section II

& double inguinal
arterial artery fix.





Fig 64









Fig 65




a)


Fig 66

b)







a



b



c



d

Fig 67

Fig 68




Fig 69.1




Fig 69.2








Fig. 70





Fig. 71









Fig 72












Fig 75




65



660



661



662






Fig. 76

Fig 71.1



















Fig 77.2



m)

fig 78.1












Fig 70.2






fig 79








Fig 80




Fig 82





















fig 83







fig 84

multi-
pales




Fig 85.1




fig 95.2




Fig. 85.3




fig 85.4




Fig 85.5





fig 85.6







fig 85.8






Fig 85.9.1




fig 85.9.2




Fig 85.9.3

fig. 859.4






Fig. 85.9.5

10/514403




Fig 85.9.6

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)